





101..M	006..70
104 105 106	007..70
103..M	001..
101..70	100..
103..70	102..
101..-16	




COMPATIBILITY:

ELY
 TA
 TI
 RO
 LEA
 EL/EF
 BR
 BI
 LIG
 RIN/WS
 CA
 SK
 GR
 RED
 JO
 JK



1


Montaggio Assembly



$65 \pm 5^{\circ}\text{C}$




$15 \pm 5^{\circ}\text{C}$



MIN - MAX



OK



G 1/2"




FREDDO
COLD

G 1/2"



CALDO
HOT





101..M
104 105 106
103..M
101..70
103..70
101..-16



006..70
007..70

2
a



101
103







Installazione corpi Bodies installation



Fissaggio Bocche Spout Fixing




b





Installazione corpi Bodies installation


b 1





Fissaggio Bocche Spout Fixing



c




SOLO GREEN
ONLY GREEN




Installazione corpi Bodies installation

c1




Fissaggio Bocche Spout Fixing




3

001


a




b




c




d




e



f.1





f.2





F

Funzionamento
Working

001




4



006..70







007..70

Fissaggio Leve Fixing Levers



M

Manutenzione Service









Sostituzione Deviatore How to replace Diverter

001


a



CH24






CH2,5



b

Sostituzione Cartuccia How to replace Cartridge



c

Sostituzione Aeratore How to replace Aerator