

LAUFEN PRO S

Waschtisch unterbaufähig

810962 ... 104 1
810962 ... 108 1
810962 ... 109 1
810962 ... 111 1
810962 ... 112 1
810962 ... 142 1
810962 ... 156 1
810962 ... 158 1



TECHNISCHE DATEN

Artikel-Nr.	810962 ... 104 1 / 810962 ... 108 1 810962 ... 109 1 / 810962 ... 111 1 810962 ... 112 1 / 810962 ... 142 1 810962 ... 156 1 / 810962 ... 158 1
SGVSB / ST	(noch offen) / (noch offen)
Zulassung	(noch offen)
Grösse	550 x 465 mm
Beckeninnenmasse	ca. 510 x 303 mm
Ausführung	104 – 1 Hahnloch mittig, mit Überlauf 108 – 3 Hahnlöcher, mit Überlauf 109 – ohne Hahnloch, mit Überlauf 111 – 1 Hahnloch mittig, ohne Überlauf 112 – ohne Hahnloch, ohne Überlauf 142 – ohne Hahnloch, ohne Überlauf und Öffnung im Ablaufventil 156 – 1 Hahnloch mittig, ohne Überlauf und Öffnung im Ablaufventil 158 – 3 Hahnlöcher, ohne Überlauf


TECHNISCHE DATEN

Gewicht	16,0 kg
Zubehör exkl.	Siphonverkleidung Artikel-Nr. 819963 ... 000 1 (nicht passend bei Ausf. mit 3 Hahnlöcher) Säule Artikel-Nr. 819962 ... 000 1
Montagematerial exkl.	Steinschrauben-Befestigungs-Set
Sonstiges	für ... Sanitärfarbe einsetzen

AUSSCHREIBUNGSTEXT

Waschtisch LAUFEN PRO S aus Sanitärkeramik, unterbaufähig
Grösse 550 x 465 mm
Ausf. 104, 108, 109 mit Überlauf
Ausf. 111, 112, 158 ohne Überlauf
Ausf. 142 und 156 ohne Überlauf und Öffnung im Ablaufventil
Artikel-Nr. 810962 ... 104 1, 810962 ... 108 1, 810962 ... 109 1,
810962 ... 111 1, 810962 ... 112 1, 810962 ... 142 1, 810962 ... 156 1,
810962 ... 158 1, Farben siehe Farbtabelle

TECHNISCHE ZEICHNUNGEN / M 1 : 20



* = Genaues Mass durch Unterstellen der Säule ermitteln.

SET LAUFEN PRO S

Countertop basin 81096.3



TECHNICAL DATA

Order no.	81096.3
Certified to	EN 31
Dimensions	600 x 465 mm
Inside dimensions of the basin	555 x 310 mm
Specification	Charge 104 – 1 centre tap hole
Special specification	Charge 108 – 3 tap holes Charge 109 – without tap hole Charge 111 – 1 centre tap hole, without overflow Charge 112 – without tap holes, without overflow Charge 136 – 3 tap holes, distance 8 inches Charge 142 – without tap hole, without overflow and without open drain Charge 156 – 1 centre tap hole, without overflow and without open drain Charge 158 – 3 tap holes, without overflow
Weight	17,0 kg

Accessories excl.	Siphon cover, order no. 81996.3 (3 tap holes not possible) Pedestal, order no. 81996.2
-------------------	--

Mounting acc. excl.	Mounting set M10 x 140 mm, order no. 89988.2
---------------------	--

Colours	see colour table
---------	------------------

SPECIFICATION TEXT


Countertop basin LAUFEN PRO S, sanitary ceramic
EN 31, dimensions 600 x 465 mm, angular

1 centre tap hole

Special feature: overflow channel glazed

Further options / accessories: Surface refinement LCC (only white),
3 tap holes, without tap holes, 1 tap hole without overflow, without tap
holes and overflow, 3 tap holes distance 8 inches, without tap holes/
overflow and open drain, 1 tap hole/without overflow and open drain,
3 tap holes without overflow, siphon cover, pedestal, bathtubs, furniture
Order no. 81096.3

TECHNICAL DRAWINGS / S 1 : 20



* = Effective height must be fixed according to the height of the pedestal.

LAUFEN PRO S

Waschtisch unterbaufähig

8**10964 ... 104 1**
 8**10964 ... 108 1**
 8**10964 ... 109 1**
 8**10964 ... 111 1**
 8**10964 ... 112 1**
 8**10964 ... 142 1**
 8**10964 ... 156 1**
 8**10964 ... 158 1**



TECHNISCHE DATEN

Artikel-Nr.	810964 ... 104 1 / 810964 ... 108 1 810964 ... 109 1 / 810964 ... 111 1 810964 ... 112 1 / 810964 ... 142 1 810964 ... 156 1 / 810964 ... 158 1
SGVSB / ST	(noch offen) / (noch offen)
Zulassung	(noch offen)
Grösse	650 x 465 mm
Beckeninnenmasse	ca. 600 x 310 mm
Ausführung	104 – 1 Hahnloch mittig, mit Überlauf 108 – 3 Hahnlöcher, mit Überlauf 109 – ohne Hahnloch, mit Überlauf 111 – 1 Hahnloch mittig, ohne Überlauf 112 – ohne Hahnloch, ohne Überlauf 142 – ohne Hahnloch, ohne Überlauf und Öffnung im Ablaufventil 156 – 1 Hahnloch mittig, ohne Überlauf und Öffnung im Ablaufventil 158 – 3 Hahnlöcher, ohne Überlauf


TECHNISCHE DATEN

Gewicht	17,5 kg
Zubehör exkl.	Siphonverkleidung Artikel-Nr. 819963 ... 000 1 (nicht passend bei Ausf. mit 3 Hahnlöcher) Säule Artikel-Nr. 819962 ... 000 1
Montagematerial exkl.	Steinschrauben-Befestigungs-Set
Sonstiges	für ... Sanitärfarbe einsetzen

AUSSCHREIBUNGSTEXT

Waschtisch LAUFEN PRO S aus Sanitärkeramik, unterbaufähig
 Grösse 650 x 465 mm
 Ausf. 104, 108, 109 mit Überlauf
 Ausf. 111, 112, 158 ohne Überlauf
 Ausf. 142 und 156 ohne Überlauf und Öffnung im Ablaufventil
 Artikel-Nr. 810964 ... 104 1, 810964 ... 108 1, 810964 ... 109 1,
 810964 ... 111 1, 810964 ... 112 1, 810964 ... 142 1, 810964 ... 156 1,
 810964 ... 158 1, Farben siehe Farbtabelle

TECHNISCHE ZEICHNUNGEN / M 1 : 20



* = Genaues Mass durch Unterstellen der Säule ermitteln.

SET LAUFEN PRO S

Countertop basin 81096.7



TECHNICAL DATA

Order no.	81096.7
Certified to	EN 31
Dimensions	700 x 465 mm
Inside dimensions of the basin	680 x 310 mm
Specification	Charge 104 – 1 centre tap hole
Special specification	Charge 108 – 3 tap holes Charge 109 – without tap hole Charge 111 – 1 centre tap hole, without overflow Charge 112 – without tap holes, without overflow Charge 136 – 3 tap holes, distance 8 inches Charge 142 – without tap hole, without overflow and without open drain Charge 156 – 1 centre tap hole, without overflow and without open drain Charge 158 – 3 tap holes, without overflow
Weight	19,0 kg

Accessories excl.	Siphon cover, order no. 81996.3 (3 tap holes not possible) Pedestal, order no. 81996.2
-------------------	--

Mounting acc. excl.	Mounting set M10 x 140 mm, order no. 89988.2
---------------------	--

Colours	see colour table
---------	------------------

SPECIFICATION TEXT

Countertop basin LAUFEN PRO S, sanitary ceramic


EN 31, dimensions 700 x 465 mm, angular

1 centre tap hole

Special feature: overflow channel glazed

Further options / accessories: Surface refinement LCC (only white), 3 tap holes, without tap holes, 1 tap hole without overflow, without tap holes and overflow, 3 tap holes distance 8 inches, without tap holes/overflow and open drain, 1 tap hole/without overflow and open drain, 3 tap holes without overflow, siphon cover, pedestal, bathtubs, furniture
Order no. 81096.7

TECHNICAL DRAWINGS / S 1 : 20



* = Effective height must be fixed according to the height of the pedestal.